

Preserving Our Land & Water

## Native Trees and Shrubs for Wet (Riparian) Sites in Southeastern PA and Northern DE

## Shrubs:

Common Name	Scientific Name	Growing Requirements, Benefits to Wildlife
American Elder, Common Elderberry	Sambucus canadensis	Wet soils; part shade. Dense and fast-growing; berries eaten by birds, twigs eaten by mammals. Bloom time: May-June
Black Chokeberry	Aronia melanocarpa [Syn. Photina melanocarpa]	Moist soils; full sun to part shade. A small shrub, 3-6 feet high, with red fall foliage and persistent black berries. Bloom time: May
Buttonbush	Cephalanthus occidentalis	Moist to wet soils; full sun to part shade.  Tall shrub with spherical flower heads. Seeds eaten by waterfowl; shelter for wildlife; attracts bees.  Bloom time: June-Aug.
Common Witch-Hazel	Hamamelis virginiana	Moist to dry soils; shade to part shade. A tall shrub (10-20 feet high) with fragrant yellow fall flowers. Seeds eaten by birds and small mammals. Bloom time: October-November
Gray dogwood	Cornus racemosa	Moist to dry soils; full sun to full shade. Large shrub, slow-growing. Fruit eaten by birds and mammals. Bloom time: May-June
Highbush Cranberry	Viburnum trilobum	Well-drained, moist soils; sun to part shade. Full foliage and bright red berries. Berries attract birds, foliage provides cover for wildlife. Bloom time: May-June
Inkberry	llex glabra	Moist to wet soils; part shade.  Mound-shaped, colony forming shrub. Berries persist into winter; attract birds.  Bloom time: May-July
Red Chokeberry	Aronia arbutifolia [syn. Photinia floribunda]	Moist to wet soils; full sun to part shade. Small spreading shrub; brilliant fall color. Birds will eat fruit. Bloom time: May
Silky Dogwood	Cornus amonum	Moist to wet soils; shade to part shade. Large shrub with creamy white flowers. Attracts birds. Bloom time: April-June
Smooth Alder, Hazel Alder	Alnus serrulata	Wet to moist soils; full sun to part shade. Large (8-12 feet high) wetland shrub. Glossy green leaves turn yellow-red in fall. Provides nesting cover for birds. Bloom time: March-April

brandywine.org 1



Preserving Our Land & Water

Southern Arrowwood; Arrowwood Viburnum	Viburnum dentatum	Moist to wet soils; full sun to part shade. Mid-sized shrub, dark red fall foliage. Provides cover for wildlife; fruit eaten by birds. Bloom time: May-July
Spicebush	Lindera benzoin	Wet to moist soils; shade to part shade. Bright red berries in fall; twigs and fruit eaten by birds and mammals Bloom time: March-May
Swamp Azalea	Rhododendron viscosum	Moist to wet soils; part shade. Colorful fall foliage; fragrant white flowers attract birds. Bloom time: May-August
Sweetbay Magnolia	Magnolia virginiana	Wet to moist soils; sun to part shade. Slow-growing ornamental with fragrant flowers; low wildlife value. Bloom time: April-July
Winterberry Holly, Common Winterberry	llex verticillata	Wet to moist soils, full sun to part shade. Mid-sized shrub with bright red berries that attract birds. Bloom time: April-July

## Trees:

Common Name	Scientific Name	Growing Requirements, Benefits to Wildlife
American Linden, Basswood	Tilia americana	Moist to dry, well-drained soils; full sun to part shade. Large shade tree with heart-shaped leaves. Fragrant white flowers attract bees and birds. Bloom time: April-July
American Sycamore	Platanus occidentalis	Wet to moist soils; full sun. Large shade tree, 75-100 feet high; attracts birds. Bloom time: March-April
Black Birch, Cherry Birch	Betula lenta	Moist, well-drained soils; sun to part shade. Colorful fall foliage; provides food for birds and mammals. Bloom time: April-May
Black Gum, Sour Gum, Black Tupelo	Nyssa sylvatica	Moist soils; full sun to part shade. Brilliant red autumn color and blue fruit. Fruits, twigs and foliage are food for birds and animals. Bloom time: April-June
Common Hackberry	Celtis occidentalis	Moist to dry, well-drained soils; full sun to part shade.  Large tree, 60-100 feet high, with orange to purple berries.  Provides food and shelter for wildlife.  Bloom time: April
Common Persimmon	Diospyros virginiana	Moist, well-drained soils; full sun to part shade. Aromatic understory tree; fruit attracts birds and mammals. Bloom time: April-June
Eastern Redbud	Cercis canadensis	Moist, well-drained soils; full sun to part shade. Small rounded tree. Showy pink flowers attract birds. Bloom time: March-May
Honey Locust	Gleditsia triacanthos	Wet to dry soils; full sun to part shade. Large tree with colorful fall foliage. Attracts birds and other wildlife. Bloom time: May-June
Pagoda Dogwood, Alternate-leaf Dogwood	Cornus alternifolia	Moist soils; part shade. Small understory tree. Fruit attracts birds. Bloom time: May-June

brandywine.org 2



Preserving Our Land & Water

Common Name	Scientific Name	Growing Requirements, Benefits to Wildlife
Pawpaw	Asimina triloba	Moist, well-drained soils; full sun to shade. Understory tree with large leaves; edible fruit attracts mammals and birds. Host plant for butterflies. Bloom time: April-May
Pin Oak	Quercus palustris	Moist soils; full sun to part shade. Dark red fall foliage; acorns provide food for wetland birds and mammals. Bloom time: March-May
Quaking Aspen	Populus tremuloides	Wet to dry soils; full sun to part shade. A mid-sized, short-lived tree. Turns bright yellow in fall. Young trees provide cover and food for birds and mammals. Bloom time: April -May
Red Maple	Acer rubrum	Moist soils; full sun to full shade. Bright red fall foliage. Bloom time: March-April
River Birch	Betula nigra	Wet to moist soils; full sun to part shade. Fast-growing shade tree; Seeds benefit birds and small mammals, host plant for butterflies. Bloom time: February-March
Silver Maple	Acer saccharinum	Wet to moist soils; full sun. Large canopy tree, turns golden yellow in fall. Seeds eaten by birds and small mammals. Bloom time: April-May
Swamp White Oak	Quercus bicolor	Wet to moist soils; full sun to part shade. Long-lived shade tree; Attracts birds and mammals for acorns and cover. Bloom time: March-April

brandywine.org 3