



**BRANDYWINE
CONSERVANCY &
MUSEUM OF ART**

2019 Native Plant Seed List

The Brandywine Conservancy is offering the seeds of native plants and some naturalized wildflowers for sale. This 40 year-old program promotes greater landscape use of our regional native plants as well as conservation of native plant populations via seed propagation of local eco-types.

The 2019 list is a result of seed collections from the Brandywine Conservancy's gardens and meadows in Chadds Ford, Pennsylvania, and from wild populations and gardens in Delaware and Chester counties. Following collection by the garden volunteers, most seeds are dried at room temperature, then cleaned and stored cold (35-40 degrees Fahrenheit). A few species are cold/moist stratified in damp vermiculite or long-fiber sphagnum moss.

Seed is available in both packets and larger quantities. Packets are \$2.00 each, or any three packets for \$5.00 (mixing and matching species is OK). Nearly all packets contain a minimum of 30 to 50 seeds. Depending on the difficulty or scarcity of collection, some packets may contain less. For the commercial grower, or wildflower meadow project, many species are available in larger quantities - a price list of these species is attached. Prior to ordering from the "Large Quantity Seed List" please contact the garden office to confirm availability and to place the order. Phone (610) 388-8327 or e-mail: mgormel@brandywine.org

To order packets of seeds please use the attached order form. Send a self-addressed, stamped envelope if the number of packets ordered is five or less. For orders of 6 to 15 packages, add \$1.45 to cover postage and handling and we will provide a padded envelope. Continue adding \$.45 for each additional increase of 5 packets (i.e. 16 to 20 packets = \$1.90, 21 to 25 packets = \$2.35, etc.). Please make checks or money orders payable to the Brandywine Conservancy & Museum of Art and send to:

Brandywine Conservancy & Museum of Art
Attn: Mark R. Gormel
P.O. Box 141
Chadds Ford, Pennsylvania 19317


brandywine.org

Lobelia cardinalis

More about Brandywine seed:

The seed in our program is hand collected at the optimum time from open-pollinated plants. A minimal amount of seed is collected from cultivars of native plants so that the widest range of genetic diversity can be obtained, every year.


We make every effort to insure that the seed we offer for sale is as clean as possible and of the highest quality. At the time of collection, most batches contain a percentage of chaff, dirt, insects and incompletely developed seed that appears normal to the unaided eye – all along with fully mature, healthy seed.



x40

Through the use of our Clipper seed cleaning machine, which employs the combination of shaking motion, gravity, variable air flow and any two (out of 54) metal sieving screens, most collections may be separated into fractions of: miscellaneous debris, light, medium and heavy seeds. With the aid of a dissecting microscope we inspect these fractions and adjust the settings of the machine to separate out the unwanted portions. Only the highest quality seed is retained and offered for sale.

Solidago caesia



x20

Great care is taken to collect the seeds that nature designs with a pappus (the “fluff” or “parachute of hairs” attached to Aster, Goldenrod, Eupatorium seeds) at that point in time when the seeds are fully mature and ready to be released from the plant. Removing these hairs allows each batch to be cleaned more completely. Clean seeds are sown with greater ease, accuracy and efficiency and will provide a much higher percentage of seedlings from the effort. We’ve made great strides in removing these hairs and now offer most of these species “defluffed”.

Species that are on the Large Quantity List go through another process so that you may determine the actual number of seeds that you are buying. Clean seed is counted out in lots of 100, 500 or 1,000 and weighed on an electronic scale. We use the resulting weights to calculate the amount in larger quantities. Most counts are given as the number of seeds per ounce so by dividing the ounce count by 2, 4, or 8, one may determine the number of clean seed in 1/2 oz, 1/4 oz, etc.


To determine the number of actual seed in 1 gram, divide the seeds/oz by 28.35 (the number of grams in one ounce). For example, the count for *Chelone glabra* is 32,500 seeds/oz; divide that by 28.35 and you have 1,146 seeds/gram. With grasses simply remember that there are 16 ounces (oz)/pound (lb).

This unique contribution to the preservation of the environment is made possible through the dedicated efforts of the Brandywine Conservancy & Museum of Art's Volunteer Gardeners.

Please keep in mind that quantities of all seeds are limited.

For current availability phone (610) 388-8327;
e-mail: mgormel@brandywine.org

Chelone glabra



x10

Brandywine Conservancy & Museum of Art

2019 Seed List of Native Plants and Wildflowers

1. *Agastache foeniculum*, Anise Hyssop GC2
2. *Allium cernuum*, Nodding Wild Onion GC2
3. *Amorpha fruticosa*, False-Indigo GC2
4. *Amsonia tabernaemontana* var. *salicifolia*, Willow Leaf Bluestar GC2 *A
5. *Andropogon gyrans*, Elliott's Bluestem GC1 or GC2
6. *Anemone virginiana*, Thimbleweed GC2
7. *Aquilegia canadensis*, Wild Columbine GC3 & 2
8. *Aralia racemosa*, American Spikenard GC2
9. *Arisaema triphyllum*, Jack-in-the-Pulpit GC1
10. *Asarum canadense*, Wild Ginger GC5 *LS
11. *Asclepias incarnata*, Swamp Milkweed GC2
12. *Asclepias syriaca*, Common Milkweed GC2
13. *Asclepias tuberosa*, Butterfly Weed GC2
14. *Aster cordifolius*, Heart-Leaved Aster
(*Symphotrichum cordifolium*) GC2
15. *Aster divaricatus*, White Wood Aster
(*Eurybia divaricata*) GC2
16. *Aster novae-angliae*, New England Aster
(*Symphotrichum novae-angliae*) GC2
17. *Aster pilosus*, Heath Aster
(*Symphotrichum pilosum*) GC3 & 2
18. *Aster umbellatus*, Flat-Topped White Aster
(*Doellingeria umbellata*) GC2
19. *Baptisia australis*, Blue False Indigo GC6 & 2
20. *Baptisia tinctoria*, Horseflyweed, Yellow Wild Indigo, GC6 & 2
21. *Bidens aristosa* (*B. polylepis*), Tickseed-Sunflower GC2
22. *Calycanthus floridus*, Sweetshrub GC2
23. *Caltha palustris*, Marsh Marigold GC2
24. *Campsis radicans*, Trumpet Creeper GC2
25. *Ceanothus americanus*, New Jersey Tea GC6 & 2
26. *Cercis canadensis*, Eastern Redbud GC6 & 2
27. *Cephalanthus occidentalis*, Buttonbush GC1
28. *Chasmanthium latifolium*, Wild Oats GC2
29. *Chelone glabra*, White Turtlehead GC2
30. *Chionanthus virginicus*, Fringetree, GC4?
31. *Chrysanthemum leucanthemum*, Ox-Eye Daisy GC1 *A
32. *Chrysopsis mariana*, Maryland Golden Aster GC2
33. *Cimicifuga racemosa*, Black Cohosh, Bugbane (*Actaea racemosa*) GC4
34. *Claytonia virginica*, Spring Beauty GC4
35. *Clematis virginiana*, Virgin's Bower GC2
36. *Cornus amomum*, Silky Dogwood GC2
37. *Daucus carota*, Queen-Anne's Lace GC1 *A
38. *Dianthus armeria*, Deptford Pink GC1 *A
39. *Dicentra eximia*, Wild Bleeding Heart GC5 & 4 *LS
40. *Echinacea purpurea*, Purple Coneflower GC2 *A
41. *Echinocystus lobata*, Wild Cucumber GC2
42. *Elymus hystrix* (*Hystrix patula*), Bottlebrush Grass GC1 or 2
43. *Elymus riparius*, Riverbank Wild Rye GC1 or 2
44. *Eragrostis spectabilis*, Purple Love Grass GC3 & 1 or 2
45. *Eryngium aquaticum*, Rattlesnake Master GC2
46. *Eryngium yuccifolium*, Rattlesnake Master GC2
47. *Eupatorium coelestinum*, Mistflower
(*Conoclinium coelestinum*) GC2
48. *Eupatorium dubium* (*Eutrochium dubium*) Joe-Pye Weed GC2
49. *Eupatorium fistulosum*, Hollow Joe-Pye Weed
(*Eutrochium fistulosum*) GC2
50. *Eupatorium rugosum*, White Snakeroot
(*Ageratina altissima*) GC2
51. *Euonymus atropurpureus*, Burning Bush, Eastern Wahoo GC2 or GC4?
52. *Geranium maculatum*, Wild Geranium GC2
53. *Helenium flexuosum*, Purple-Headed Sneezeweed GC3 & 1
54. *Helianthus decapetalus*, Thin-Leaved Sunflower GC2
55. *Heliopsis helianthoides*, Ox-Eye GC1 or 2
56. *Hesperis matronalis*, Dame's Rocket GC1 *A
57. *Heuchera americana*, Alumroot GC3 & 2
58. *Hibiscus moscheutos*, Crimson-Eyed Rose Mallow
(*Hibiscus palustris* forma *peckii*) GC2
59. *Hydrastis canadensis*, Goldenseal - available in July, only
60. *Jeffersonia diphylla*, (Twinleaf) GC5 *LS
61. *Laportea canadensis*, Canadian Wood Nettle GC2?
62. *Liatris spicata*, Dense Blazing Star GC1 or 2
63. *Liatris squarrosa*, Scaly Blazing Star GC1 or 2
64. *Liquidambar styraciflua*, Sweetgum GC2
65. *Lobelia cardinalis*, Cardinal Flower GC3
66. *Lobelia siphilitica*, Blue Lobelia GC3
67. *Lonicera sempervirens*, Trumpet Honeysuckle GC2
68. *Ludwigia alternifolia*, Seedbox GC2
69. *Magnolia virginiana*, Sweetbay Magnolia GC2
70. *Mertensia virginica*, Virginia Bluebells GC2
71. *Mimulus ringens*, Square-Stemmed Monkey-Flower GC3 & 2
72. *Monarda fistulosa*, Wild Bergamot GC3 & 1 or GC3 & 2
73. *Myrica pensylvanica*, Northern Bayberry GC2
74. *Nyssa sylvatica*, Black Gum, Tupelo GC2
75. *Oenothera biennis*, Evening Primrose GC3 & 1
76. *Osmorhiza longistylis*, Anise Root GC2 (see packet)
77. *Parthenocissus quinquefolia*, Virginia Creeper GC2
78. *Panicum anceps*, Beaked Panicgrass GC1 or 2
79. *Penstemon digitalis*, Foxglove Beardtongue GC3 & 2
80. *Penstemon hirsutus*, Hairy Beardtongue GC3 & 2
81. *Phacelia purshii*, Miami Mist GC1 (see packet)
82. *Phlox paniculata*, Garden Phlox GC2
83. *Physostegia virginiana*, False Dragonhead GC2
84. *Polemonium reptans*, Jacob's Ladder GC4
85. *Polygonatum biflorum* var. *commutatum*, Great Solomon's Seal GC2 (see packet)
86. *Pycnanthemum virginianum*, Virginia Mountain Mint GC3 & 2
87. *Ranunculus bulbosus*, Buttercup GC2 *A
88. *Ratibida pinnata*, Gray-Headed Coneflower GC1 or 2
89. *Rudbeckia fulgida* var. *fulgida*, Orange Coneflower GC2
90. *Rudbeckia fulgida* var. *speciosa*, Showy Coneflower GC2
91. *Rudbeckia fulgida* var. *newmannii*, Newmann's Coneflower GC2
92. *Rudbeckia hirta*, Black-Eyed Susan GC1
93. *Rudbeckia laciniata*, Green-Headed Coneflower GC1 or 2
94. *Rudbeckia triloba*, Narrow-Leaved Coneflower GC1
95. *Sanguinaria canadensis*, Bloodroot GC5 *LS
96. *Schizachyrium scoparium*, Little Bluestem GC1 or 2
97. *Scirpus cyperinus*, Wool Grass GC3 & GC2
98. *Scutellaria incana*, Downy Skullcap GC2
99. *Scutellaria integrifolia*, Helmet Flower GC2?
100. *Senna hebecarpa* (Cassia hebecarpa), Wild Senna GC2
101. *Sisyrinchium angustifolium*, Blue-Eyed Grass GC3&2 (repeat twice)

102. *Smilacina racemosa*, False Solomon's Seal
(*Maianthemum racemosum*) GC2 (see packet)
103. *Solidago caesia*, Blue-Stemmed Goldenrod GC2
104. *Solidago flexicaulis*, Zigzag Goldenrod GC2
105. *Solidago rigida*, Hard-Leaved Goldenrod
(*Oligoneuron rigidum*) GC2
106. *Solidago speciosa*, Showy Goldenrod GC2
107. *Sorghastrum nutans*, Indian Grass GC1 or 2
108. *Sporobolus heterolepis*, Prairie Dropseed GC1 or 2
109. *Staphylea trifolia*, American Bladdernut GC4
110. *Stylophorum diphyllum*, Wood Poppy GC5 *LS
111. *Thalictrum polygamum* (*Thalictrum pubescens*),
Tall Meadow-Rue GC2
112. *Thermopsis villosa*, Carolina Bush Pea GC6 or 2 *A
113. *Tiarella cordifolia*, Foamflower (runnering form)
GC3 & 2
114. *Tradescantia ohioensis*, Spiderwort GC2
115. *Tradescantia virginiana*, Spiderwort GC2
116. *Tridens flavus*, Purpletop GC1 or 2
117. *Verbena hastata*, Blue Vervain GC2
118. *Vernonia noveboracensis*, New York Ironweed GC2
119. *Veronicastrum virginicum*, Culver's Root GC3 & 1
120. *Viburnum dentatum*, Southern Arrowwood GC4
121. *Viburnum prunifolium*, Black-haw Viburnum GC4
122. *Viola sororia*, Common Blue Violet GC2
123. *Viola* spp., mix of Violets GC2
124. *Viola pubescens*, Yellow Violet GC2
125. *Viola striata*, Pale/Cream Violet GC2
126. *Xanthorhiza simplicissima*, Yellowroot GC2 and GC3
127. *Zizia aptera*, Golden Alexanders, Heart-Leaved Zizia GC2
128. *Zizia aurea*, Golden Alexanders GC2

Germination Codes

Appearing at the end of each of the above species is a germination code (GC1, GC2, etc.). Some species require multiple pretreatments and are indicated with more than one code, as in GC3 & 2.

- GC1 *Seed should germinate within 1 to 4 weeks after sowing in a warm, moist medium.* These types generally require being thoroughly air dried first and are stored under cold (35-40° F), dry conditions. No other pretreatment is necessary. Often referred to as cold, dry stratification, this is the standard storage method for all BC seed.
- GC2 *These types require cold, moist conditions prior to germinating in warm, moist conditions.* Some of these species may require only a 30 day chilling period, others might require 120 days. We typically sow these types in January, keeping them outdoors (providing approximately 90 days) and achieve good results. To simulate the outdoor treatment, mix seeds into a dampened, sterile medium (potting soil, sphagnum moss, sand, vermiculite) and place the mix into a sealed container in a cold place (35-40°F). Let it sit for 60 to 90 days, routinely checking the mixture for appropriate dampness (mixture feels damp but no water will squeeze out of a handful of the mix) then move into a warm location (65-80°F) and watch for germination. This is often referred to as cold, moist stratification. "Twice" indicates species germinates best after repeating the treatment a second time.
- GC3 *These seeds are very small or need light in order to break dormancy and germinate.* These should be sown on the surface of the medium and pressed into firm contact. Some growers cover these types with a light coating of very fine gravel, builders sand, swimming pool filter sand, aquarium gravel, etc. Watering from the bottom of the container, allowing the water to wick upward, will prevent very tiny seeds from being washed too deeply into the potting medium during watering.
- GC4 *These seeds require a warm, moist period followed by a cold, moist period.* Sow these species outdoors by the beginning of July and look for germination in the following year. To simulate, mix seeds into a dampened, sterile medium (potting soil, sphagnum moss, sand, vermiculite), place the mix into a sealed container in a warm place (65-80°F), let sit for 60 to 90 days, then refrigerate for another 60 to 90 days. Routinely check mixture for appropriate dampness (mixture feels damps but no water will squeeze out of a handful of the mix).
- GC5 *Sow these types immediately upon collection or following purchase.* These types will perish if allowed to dry out and are most easily handled by leaving the sown pot outdoors.
- GC6 *Hot water treatment or scarification.* Pour boiling water over the seeds and allow them to soak in the cooling water for 24 hours. Alternatively, scarify these seeds with a light sanding from medium grit sandpaper. The intention is to create small scratches in the surface of the seed coat, not to grind apart the seeds. Each is typically used in conjunction with another treatment.

*A = Alien or introduced species in Pennsylvania *LS or *LF = Available in late spring (LS) or late-fall (LF)

**Brandywine Conservancy & Museum of Art
2019 Large Quantity Seed List**

Species	Seeds/oz	1 gram	1/8 oz	1/4 oz	1/2 oz	1 oz
<i>Agastache foeniculum</i> , Anise Hyssop	95,000	\$4.00	\$6.00	\$8.00	\$12.00	
<i>Allium cernuum</i> , Nodding Wild Onion	7,600	\$4.50	\$9.00	\$12.00	\$18.00	
<i>Amorpha fruticosa</i> , False Indigo	2,900			\$2.00	\$3.00	\$5.00
<i>Amsonia tabernaemontana var. salicifolia</i> , Willow Leaf Bluestar	1,650		\$4.50	\$6.00	\$9.00	\$15.00
<i>Anemone virginiana</i> , Thimbleweed	30,000	\$4.00	\$6.00	\$8.00	\$12.00	\$20.00
<i>Aquilegia canadensis</i> , Wild Columbine Packets Only until Mid-July	31,500	\$6.00	\$14.50	\$21.75	\$32.50	\$48.75
<i>Asarum canadense</i> , Wild Ginger (available in June/July, free of fruit casing)	2,600	\$6.00	\$14.50	\$21.75	\$32.50	\$48.75
<i>Asclepias syriaca</i> , Common Milkweed	4,000	\$4.50	\$11.00	\$16.50	\$24.75	\$37.00
<i>Asclepias tuberosa</i> , Butterfly Weed	4,800	\$6.00	\$14.50	\$21.75	\$32.50	\$48.75
<i>Aster cordifolius (Symphyotrichum cordifolium)</i> , Heart-Leaved Aster (no fluff - pappus removed)	116,000	\$6.50	\$16.00	\$24.00	\$36.00	\$54.00
<i>Aster divaricatus (Eurybia divaricata)</i> , White Wood Aster (no fluff - pappus removed)	60,500	\$6.00	\$14.50	\$21.75	\$32.50	\$48.75
<i>Aster novae-angliae (Symphyotrichum novae-angliae)</i> , New England Aster (pappus removed)	93,500	\$4.50	\$9.00	\$12.00	\$18.00	\$30.00
<i>Aster umbellatus (Doellingeria umbellata)</i> , Flat-Topped White Aster (no fluff - pappus removed)	41,500	\$4.50	\$9.00	\$12.00	\$18.00	\$30.00
<i>Aster pilosus (Symphyotrichum pilosum)</i> , Heath Aster (no fluff - pappus removed), limited quantity	142,000	\$4.00	\$14.00	\$21.00	\$24.00	\$40.00
<i>Baptisia australis</i> , Blue False Indigo packets only until late summer	1,300	\$4.00	\$6.00	\$8.00	\$12.00	N.A
<i>Caltha palustris</i> , Marsh Marigold 920 seeds/gram @ \$10.00/g SOLD OUT until early summer						
<i>Calycanthus floridus</i> , Sweetshrub 130 seeds/ounce @\$5.00/oz						
<i>Cercis canadensis</i> , Eastern Redbud	920	\$2.00	\$3.00	\$4.00	\$6.00	\$10.00

Species	Seeds/oz	1 gram	1/8 oz	1/4 oz	1/2 oz	1 oz
Chelone glabra, White Turtlehead	32,500	\$6.00	\$14.50	\$21.75	\$32.50	\$48.75
<i>Cimicifuga racemosa</i> (<i>Actaea racemosa</i>), Black Cohosh, Bugbane	10,000		\$4.50	\$6.00	\$9.00	\$15.00
<i>Clematis virginiana</i> , Virgin's Bower, SOLD OUT until late fall	20,000		\$4.50	\$7.00	\$12.00	\$20.00
<i>Cornus amomum</i> , Silky Dogwood	470		\$3.00	\$4.00	\$6.00	\$10.00
<i>Eupatorium fistulosum</i> (<i>Eutrochium fistulosum</i>), Joe-Pye Weed - no fluff (pappus removed)	103,000	\$4.00	\$9.75	\$14.50	\$21.75	\$32.50
<i>Eupatorium perfoliatum</i> , Boneset- no fluff (pappus removed) SOLD OUT until late fall	180,000	\$4.00	\$9.75	\$14.50	\$21.75	\$32.50
<i>Eupatorium rugosum</i> (<i>Ageratina altissima</i>), White Snakeroot - no fluff (pappus removed)	165,800	\$3.00	\$4.50	\$7.00	\$12.00	\$20.00
<i>Geranium maculatum</i> , Wild Geranium	4,100		\$5.00	\$14.50	\$21.75	\$48.75
<i>Heliopsis helianthoides</i> , Ox-Eye	5,700		\$3.00	\$4.00	\$6.00	\$10.00
<i>Hesperis matronalis</i> , Dame's Rocket	11,800		\$4.50	\$7.00	\$12.00	\$20.00
<i>Heuchera americana</i> , Alumroot - 17,500 seeds/gram @ \$20.00/g						
<i>Hibiscus moscheutos</i> (<i>H. palustris forma peckii</i>), Crimson-Eyed Rose Mallow	3,300	\$3.00	\$4.50	\$7.00	\$12.00	\$20.00
<i>Hydrastis canadensis</i> , Goldenseal – only available in August, cleaned, no fruit pulp	2,100	\$6.50	\$16.00			
<i>Lobelia cardinalis</i> , Cardinal Flower	500,000	\$6.00	\$15.00	\$20.00	\$30.00	\$50.00
<i>Lobelia siphilitica</i> , Blue Lobelia	650,000	\$6.00	\$15.00	\$20.00	\$30.00	\$50.00
<i>Ludwigia alternifolia</i> , Square-Stemmed Monkey Flower app. 45,850 seeds/gram @ \$5.00/gram						
<i>Magnolia virginiana</i> , Sweetbay Magnolia - 530 seeds/ounce @ \$10.00/oz.						
<i>Mimulus ringens</i> , Square-Stemmed Monkeyflower – 85,000 seeds/gram @ \$5.00/gram						
<i>Myrica pensylvanica</i> , Northern Bayberry SOLD OUT until late fall	880		\$3.00	\$4.00	\$6.00	\$10.00
<i>Oenothera biennis</i> , Evening Primrose	82,000		\$4.00	\$5.00	\$6.00	\$10.00

Species	Seeds/oz	1 gram	1/8 oz	1/4 oz	1/2 oz	1 oz
<i>Osmorhiza longistylis</i> , Anise Root	4,000		\$3.00	\$4.00	\$6.00	\$10.00
<i>Parthenocissus quinquefolia</i> , Virginia Creeper	500		\$3.00	\$4.00	\$6.00	\$10.00
<i>Penstemon digitalis</i> , Foxglove Beardtongue	127,500		\$4.50	\$6.00	\$9.00	\$15.00
<i>Penstemon hirsutus</i> , Hairy Beardtongue	283,500	\$4.00	\$6.00	\$8.00	\$12.00	\$20.00
<i>Phlox paniculata</i> , Garden Phlox	3,100	\$4.00	\$9.00	\$15.00	\$24.00	\$40.00
<i>Physostegia virginiana</i> , False Dragonhead	9,950	\$4.00	\$9.00	\$15.00	\$24.00	\$40.00
<i>Polemonium reptans</i> , Jacob's Ladder	17,000	\$7.00	\$15.00	\$25.00	\$45.00	\$80.00
<i>Pycnanthemum virginianum</i> , Virginia Mountain Mint	218,000	\$6.00	\$14.50	\$21.75	\$32.50	\$48.75
<i>Ratibida pinnata</i> , Gray-Headed Coneflower	26,500		\$3.00	\$4.00	\$6.00	\$10.00
<i>Rudbeckia fulgida</i> var. <i>fulgida</i> , Orange Coneflower SOLD OUT until late fall	31,500	\$6.00	\$14.50	\$21.75	\$32.50	\$48.75
<i>Rudbeckia fulgida</i> var. <i>speciosa</i> , Showy Coneflower	29,200	\$4.50	\$9.00	\$15.00	\$24.00	\$40.00
<i>Rudbeckia fulgida</i> var. <i>newmannii</i> , Newmans' Coneflower	app 29,000		\$5.00	\$8.00	\$12.00	\$20.00
<i>Rudbeckia laciniata</i> , Green-Headed Coneflower	15,500	\$4.50	\$9.00	\$15.00	\$24.00	\$40.00
<i>Rudbeckia triloba</i> , Narrow-Leaved Coneflower	28,300		\$3.00	\$4.00	\$6.00	\$10.00
<i>Senna hebecarpa</i> (<i>Cassia hebecarpa</i>), Wild Senna	1,570		\$3.00	\$4.00	\$6.00	\$10.00
<i>Sisyrinchium angustifolium</i> (Blue-Eyed Grass) app. 1,500seeds/gram @ \$10.00/gram						
<i>Smilacina racemosa</i> (<i>Maianthemum racemosum</i>), False Solomon's Seal (clean, stored cold/moist)	440		\$5.00	\$8.00	\$12.00	\$20.00
<i>Solidago caesia</i> , Blue-Stemmed Goldenrod 3,600 seeds/gram @ \$6.00/gram						
<i>Solidago flexicaulis</i> , Zig-Zag Goldenrod - no fluff (pappus removed)	83,000	\$6.00	\$14.50	\$21.75	\$32.50	\$48.75

Species	Seeds/oz	1 gram	1/8 oz	1/4 oz	1/2 oz	1 oz
<i>Staphylea trifolia</i> , American Bladdernut 430				\$4.00	\$6.00	\$10.00
<i>Stylophorum diphyllum</i> , Wood Poppy, Celandine Poppy – only available in early June 7,100		\$4.00	\$9.00	\$15.00	\$24.00	\$40.00
<i>Tiarella cordifolia</i> , Foamflower - 3,470 seeds/gram @ \$35.00/g. This is the runner variety.						
<i>Thermopsis villosa</i> , Carolina Bush Pea, Carolina Lupine 3,800		\$6.00	\$14.50	\$21.75	\$32.50	\$48.75
<i>Tradescantia ohiensis</i> , Spiderwort 8,800		\$4.00	\$6.00	\$8.00	\$12.00	\$20.00
<i>Verbena hastata</i> , Blue Vervain 100,900		\$2.00	\$3.00	\$4.00	\$6.00	\$10.00
<i>Vernonia noveboracensis</i> , New York Ironweed - no fluff (pappus removed) 31,500		\$4.00	\$6.00	\$8.00	\$12.00	\$20.00
<i>Zizia aurea</i> , Golden Alexanders 14,000		\$4.00	\$6.00	\$8.00	\$12.00	\$20.00

Grasses

Species	Seeds/oz	1 oz	1/4 lb	1/2 lb	1 lb
<i>Chasmanthium latifolium</i> , Wild Oats - hand collected, very clean 4,500		\$8.00	\$24.00	\$36.00	\$60.00
<i>Elymus hystrix</i> , Bottlebrush Grass 3,680 (w/awns)		\$8.00	\$24.00		
<i>Elymus riparius</i> , Riverbank Wild Rye - local, hand collected, very clean 3,900		\$3.00	\$9.00	\$15.00	\$22.00
<i>Panicum anceps</i> , Beaked Panic Grass - local, hand collected, very clean SOLD OUT till fall 25,000		\$5.00	\$15.00	\$25.00	\$35.00
<i>Schizachyrium scoparium</i> , Little Bluestem local, hand collected SOLD OUT till fall 14,000		\$9.00	\$12.00	\$18.00	\$35.00
<i>Sorghastrum nutans</i> , Indian Grass - local, hand collected, very clean 10,900		\$3.00	\$6.00	\$9.00	\$22.00
<i>Tridens flavus</i> , Purple Top - local, hand collected, very clean 28,300		\$5.00	\$15.00	\$25.00	\$35.00

**Please confirm availability prior to ordering. Phone (610) 388-8327
e-mail: mgormel@brandywine.org**

Brandywine Conservancy & Museum of Art
3/8/19 LQ list page 4
Prices Subject to Change Without Notice