



**BRANDYWINE
CONSERVANCY &
MUSEUM OF ART**

2020 Native Plant Seed List

The Brandywine Conservancy is offering the seeds of native plants and some naturalized wildflowers for sale. This 41 year-old program promotes greater landscape use of our regional native plants as well as conservation of native plant populations via seed propagation of local eco-types.

The 2020 list is a result of seed collections from the Brandywine Conservancy's gardens and meadows in Chadds Ford, Pennsylvania, and from wild populations and gardens in Delaware and Chester counties. Following collection by the garden volunteers, most seeds are dried at room temperature, then cleaned and stored cold (35-40 degrees Fahrenheit). A few species are cold/moist stratified in damp vermiculite or long-fiber sphagnum moss.

Seed is available in both packets and larger quantities. Packets are \$2.00 each, or any three packets for \$5.00 (mixing and matching species is OK). Nearly all packets contain a minimum of 30 to 50 seeds. Depending on the difficulty or scarcity of collection, some packets may contain less. For the commercial grower, or wildflower meadow project, many species are available in larger quantities - a price list of these species is attached. Prior to ordering from the "Large Quantity Seed List" please contact the garden office to confirm availability and to place the order. Phone (610) 388-8327 or e-mail: mgormel@brandywine.org

To order packets of seeds please use the attached order form. Send a self-addressed, stamped envelope if the number of packets ordered is five or less. For orders of 6 to 15 packages, add \$1.45 to cover postage and handling and we will provide a padded envelope. Continue adding \$.45 for each additional increase of 5 packets (i.e. 16 to 20 packets = \$1.90, 21 to 25 packets = \$2.35, etc.). Please make checks or money orders payable to the Brandywine Conservancy & Museum of Art and send to:

Brandywine Conservancy & Museum of Art
Attn: Mark R. Gormel
P.O. Box 141
Chadds Ford, Pennsylvania 19317

brandywine.org

Lobelia cardinalis

More about Brandywine seed:

The seed in our program is hand collected at the optimum time from open-pollinated plants. A minimal amount of seed is collected from cultivars of native plants so that the widest range of genetic diversity can be obtained, every year.


We make every effort to insure that the seed we offer for sale is as clean as possible and of the highest quality. At the time of collection, most batches contain a percentage of chaff, dirt, insects and incompletely developed seed that appears normal to the unaided eye – all along with fully mature, healthy seed.



x40

Through the use of our Clipper seed cleaning machine, which employs the combination of shaking motion, gravity, variable air flow and any two (out of 54) metal sieving screens, most collections may be separated into fractions of: miscellaneous debris, light, medium and heavy seeds. With the aid of a dissecting microscope we inspect these fractions and adjust the settings of the machine to separate out the unwanted portions. Only the highest quality seed is retained and offered for sale.

Solidago caesia



x20

Great care is taken to collect the seeds that nature designs with a pappus (the “fluff” or “parachute of hairs” attached to Aster, Goldenrod, Eupatorium seeds) at that point in time when the seeds are fully mature and ready to be released from the plant. Removing these hairs allows each batch to be cleaned more completely. Clean seeds are sown with greater ease, accuracy and efficiency and will provide a much higher percentage of seedlings from the effort. We’ve made great strides in removing these hairs and now offer most of these species “defluffed”.

Species that are on the Large Quantity List go through another process so that you may determine the actual number of seeds that you are buying. Clean seed is counted out in lots of 100, 500 or 1,000 and weighed on an electronic scale. We use the resulting weights to calculate the amount in larger quantities. Most counts are given as the number of seeds per ounce so by dividing the ounce count by 2, 4, or 8, one may determine the number of clean seed in 1/2 oz, 1/4 oz, etc.


To determine the number of actual seed in 1 gram, divide the seeds/oz by 28.35 (the number of grams in one ounce). For example, the count for *Chelone glabra* is 32,500 seeds/oz; divide that by 28.35 and you have 1,146 seeds/gram. With grasses simply remember that there are 16 ounces (oz)/pound (lb).

Chelone glabra

This unique contribution to the preservation of the environment is made possible through the dedicated efforts of the Brandywine Conservancy & Museum of Art's Volunteer Gardeners.

Please keep in mind that quantities of all seeds are limited.

For current availability phone (610) 388-8327;
e-mail: mgormel@brandywine.org



x10

Brandywine Conservancy & Museum of Art

2020 Seed List of Native Plants and Wildflowers

1. *Agastache foeniculum*, Anise Hyssop GC2
2. *Allium cernuum*, Nodding Wild Onion GC2
3. *Allium tricoccum*, Ramps, Wild Leek GC2
4. *Amorpha fruticosa*, False-Indigo GC2
5. *Anemone virginiana*, Thimbleweed GC2
6. *Aquilegia canadensis*, Wild Columbine GC3 & 2
7. *Aralia racemosa*, American Spikenard GC2
8. *Asarum canadense*, Wild Ginger GC5 ***LS**
9. *Asclepias incarnata*, Swamp Milkweed GC2
10. *Asclepias syriaca*, Common Milkweed GC2
11. *Asclepias tuberosa*, Butterfly Weed GC2
12. *Aster cordifolius*, Heart-Leaved Aster
(*Symphiotrichum cordifolium*) GC2
13. *Aster divaricatus*, White Wood Aster
(*Eurybia divaricata*) GC2
14. *Aster novae-angliae*, New England Aster
(*Symphiotrichum novae-angliae*) GC2
15. *Aster pilosus*, Heath Aster
(*Symphiotrichum pilosum*) GC3 & 2
16. *Baptisia australis*, Blue False Indigo GC6 & 2
17. *Bidens aristosa* (*B. polylepis*), Tickseed-Sunflower GC2
18. *Boehmeria cylindrica* – Small-Spike False Nettle GC2?
19. *Boltonia asteroides* – White Doll's Daisy GC2
20. *Calycanthus floridus*, Sweetshrub GC2
21. *Caltha palustris*, Marsh Marigold GC2
22. *Campanulastrum americanum*, American Bellflower GC1
23. *Campsis radicans*, Trumpet Creeper GC2
24. *Capnoides sempervirens*, Rock Harlequin GC1/GC2?
25. *Ceanothus americanus*, New Jersey Tea GC6 & 2
26. *Cercis canadensis*, Eastern Redbud GC6 & 2
27. *Cephalanthus occidentalis*, Buttonbush GC1
28. *Chasmanthium latifolium*, Wild Oats GC2
29. *Chelone glabra*, White Turtlehead GC2
30. *Chionanthus virginicus*, Fringetree, GC4?
31. *Chrysanthemum leucanthemum*, Ox-Eye Daisy GC1 ***A**
32. *Chrysopsis mariana*, Maryland Golden Aster GC2
33. *Cimicifuga racemosa*, Black Cohosh, Bugbane (*Actaea racemosa*) GC4
34. *Claytonia virginica*, Spring Beauty GC4
35. *Coreopsis tripteris*, Tall Tickseed GC2
36. *Cornus amomum*, Silky Dogwood GC2
37. *Daucus carota*, Queen-Anne's Lace GC1 ***A**
38. *Dicentra eximia*, Wild Bleeding Heart GC5 & 4 ***LS**
39. *Echinacea purpurea*, Purple Coneflower GC2
40. *Elymus hystrix* (*Hystrix patula*), Bottlebrush Grass GC1 or 2
41. *Elymus riparius*, Riverbank Wild Rye GC1 or 2
42. *Eryngium aquaticum*, Rattlesnake Master GC2
43. *Eryngium yuccifolium*, Rattlesnake Master GC2
44. *Eupatorium coelestinum*, Mistflower
(*Conoclinium coelestinum*) GC2
45. *Eupatorium dubium* (*Eutrochium dubium*)
Joe-Pye Weed GC2
46. *Eupatorium fistulosum*, Hollow Joe-Pye Weed
(*Eutrochium fistulosum*) GC2
47. *Eupatorium perfoliatum*, Boneset GC2
48. *Eupatorium rugosum*, White Snakeroot
(*Ageratina altissima*) GC2
49. *Euonymus americanus*, Strawberry-Bush, Hearts-a Burstin GC2 or GC4?
50. *Euonymus atropurpureus*, Burning Bush, Eastern Wahoo GC2 or GC4?
51. *Geranium maculatum*, Wild Geranium GC2
52. *Helianthus decapetalus*, Thin-Leaved Sunflower GC2
53. *Heliopsis helianthoides*, Ox-Eye GC1 or 2
54. *Hesperis matronalis*, Dame's Rocket GC1 ***A**
55. *Heuchera americana*, Alumroot GC3 & 2
56. *Heuchera villosa*, Autumn Alumroot, Hairy Alumroot GC3&2
57. *Hibiscus moscheutos*, Crimson-Eyed Rose Mallow
(*Hibiscus palustris forma peckii*) GC2
58. *Hydrastis canadensis*, Goldenseal – **avail. in July, only**
59. *Hydrophyllum canadense*, Broad Leaved Waterleaf GC2
60. *Iris versicolor*, Larger Blue Flag GC3 & 2
61. *Jeffersonia diphylla*, (Twinleaf) GC5 **avail. in June, only**
62. *Laportea canadensis*, Canadian Wood Nettle GC2?
63. *Liatris spicata*, Dense Blazing Star GC1 or 2
64. *Liatris squarrosa*, Scaly Blazing Star GC1 or 2
65. *Lobelia cardinalis*, Cardinal Flower GC3
66. *Lobelia siphilitica*, Blue Lobelia GC3
67. *Lonicera sempervirens*, Trumpet Honeysuckle GC2
68. *Ludwigia alternifolia*, Seedbox GC2
69. *Magnolia virginiana*, Sweetbay Magnolia GC2
70. *Mertensia virginica*, Virginia Bluebells GC2
71. *Mimulus ringens*, Square-Stemmed Monkey-Flower GC3 & 2
72. *Monarda fistulosa*, Wild Bergamot GC3 & 1 or GC3 & 2
73. *Oenothera biennis*, Evening Primrose GC3 & 1
74. *Osmorhiza longistylis*, Anise Root GC2 (see packet)
75. *Parthenocissus quinquefolia*, Virginia Creeper GC2
76. *Panicum anceps*, Beaked Panicgrass GC1 or 2
77. *Penstemon digitalis*, Foxglove Beardtongue GC3 & 2
78. *Penstemon hirsutus*, Hairy Beardtongue GC3 & 2
79. *Phacelia purshii*, Miami Mist GC1 (see packet)
80. *Phlox paniculata*, Garden Phlox GC2
81. *Physostegia virginiana*, False Dragonhead GC2
82. *Polemonium reptans*, Jacob's Ladder GC4
83. *Pycnanthemum virginianum*, Virginia Mountain Mint GC3 & 2
84. *Ranunculus bulbosus*, Buttercup GC2 ***A**
85. *Ratibida pinnata*, Gray-Headed Coneflower GC1 or 2
86. *Rudbeckia fulgida* var. *fulgida*, Orange Coneflower GC2
87. *Rudbeckia fulgida* var. *speciosa*, Showy Coneflower GC2
88. *Rudbeckia fulgida* var. *newmannii*,
Newmann's Coneflower GC2
89. *Rudbeckia hirta*, Black-Eyed Susan GC1
90. *Rudbeckia laciniata*, Green-Headed Coneflower GC1 or 2
91. *Rudbeckia triloba*, Narrow-Leaved Coneflower GC1
92. *Sanguinaria canadensis*, Bloodroot GC5 ***Late May, only**
93. *Schizachyrium scoparium*, Little Bluestem GC1 or 2
94. *Scirpus cyperinus*, Wool Grass GC3 & GC2
95. *Scutellaria incana*, Downy Skullcap GC2
96. *Senna hebecarpa* (*Cassia hebecarpa*), Wild Senna GC2
97. *Sisyrinchium angustifolium*, Blue-Eyed Grass GC3&2
(repeat twice)
98. *Solidago caesia*, Blue-Stemmed Goldenrod GC2
99. *Solidago flexicaulis*, Zigzag Goldenrod GC2
100. *Solidago juncea*, Early Goldenrod GC2
101. *Solidago nemoralis*, Gray Goldenrod GC2
102. *Solidago rigida*, Hard-Leaved Goldenrod
(*Oligoneuron rigidum*) GC2

103. *Solidago speciosa*, Showy Goldenrod GC2
104. *Sorghastrum nutans*, Indian Grass GC1 or 2
105. *Sporobolus heterolepis*, Prairie Dropseed GC1 or 2
106. *Staphylea trifolia*, American Bladdernut GC4
107. *Stylophorum diphyllum*, Wood Poppy GC5 **June only**
108. *Thalictrum polygamum* (*Thalictrum pubescens*), Tall Meadow-Rue GC2
109. *Thermopsis villosa*, Carolina Bush Pea GC6 or GC2
110. *Tiarella cordifolia*, Foamflower (runnering form) GC3 & 2
111. *Tradescantia ohiensis*, Spiderwort GC2
112. *Tradescantia virginiana*, Spiderwort GC2
113. *Tridens flavus*, Purpletop GC1 or 2
114. *Verbena hastata*, Blue Vervain GC2
115. *Vernonia noveboracensis*, New York Ironweed GC2
116. *Veronicastrum virginicum*, Culver's Root GC3 & 1
117. *Viburnum dentatum*, Southern Arrowwood GC4
118. *Viburnum prunifolium*, Black-haw Viburnum GC4
119. *Viola* spp., mix of Violets GC2
120. *Xanthorhiza simplicissima*, Yellowroot GC2 and GC3
121. *Zizia aptera*, Golden Alexanders, Heart-Leaved Zizia GC2
122. *Zizia aurea*, Golden Alexanders GC2

Germination Codes

Appearing at the end of each of the above species is a germination code (GC1, GC2, etc.). Some species require multiple pretreatments and are indicated with more than one code, as in GC3 & 2.

1. GC1 *Seed should germinate within 1 to 4 weeks after sowing in a warm, moist medium.* These types generally require being thoroughly air dried first and are stored under cold (35-40° F), dry conditions. No other pretreatment is necessary. Often referred to as cold, dry stratification, this is the standard storage method for all BC seed.
2. GC2 *These types require cold, moist conditions prior to germinating in warm, moist conditions.* Some of these species may require only a 30 day chilling period, others might require 120 days. We typically sow these types in January, keeping them outdoors (providing approximately 90 days) and achieve good results. To simulate the outdoor treatment, mix seeds into a dampened, sterile medium (potting soil, sphagnum moss, sand, vermiculite) and place the mix into a sealed container in a cold place (35-40°F). Let it sit for 60 to 90 days, routinely checking the mixture for appropriate dampness (mixture feels damp but no water will squeeze out of a handful of the mix) then move into a warm location (65-80°F) and watch for germination. This is often referred to as cold, moist stratification. "Twice" indicates species germinates best after repeating the treatment a second time.
3. GC3 *These seeds are very small or need light in order to break dormancy and germinate.* These should be sown on the surface of the medium and pressed into firm contact. Some growers cover these types with a light coating of very fine gravel, builders sand, swimming pool filter sand, aquarium gravel, etc. Watering from the bottom of the container, allowing the water to wick upward, will prevent very tiny seeds from being washed too deeply into the potting medium during watering.
4. GC4 *These seeds require a warm, moist period followed by a cold, moist period.* Sow these species outdoors by the beginning of July and look for germination in the following year. To simulate, mix seeds into a dampened, sterile medium (potting soil, sphagnum moss, sand, vermiculite), place the mix into a sealed container in a warm place (65-80°F), let sit for 60 to 90 days, then refrigerate for another 60 to 90 days. Routinely check mixture for appropriate dampness (mixture feels damp but no water will squeeze out of a handful of the mix).
5. GC5 *Sow these types immediately upon collection or following purchase.* These types will perish if allowed to dry out and are most easily handled by leaving the sown pot outdoors.
6. GC6 *Hot water treatment or scarification.* Pour boiling water over the seeds and allow them to soak in the cooling water for 24 hours. Alternatively, scarify these seeds with a light sanding from medium grit sandpaper. The intention is to create small scratches in the surface of the seed coat, not to grind apart the seeds. Each is typically used in conjunction with another treatment.

***A = Alien or introduced species in Pennsylvania *LS or *LF = Available in late spring (LS) or late-fall (LF)**

Brandywine Conservancy & Museum of Art
2020 Large Quantity Seed List

Species	Seeds/oz	1 gram	1/8 oz	1/4 oz	1/2 oz	1 oz
<i>Agastache foeniculum</i> , Anise Hyssop	95,000	\$4.00	\$6.00	\$8.00	\$12.00	
<i>Allium cernuum</i> , Nodding Wild Onion	7,600	\$4.50	\$9.00	\$12.00	\$18.00	
<i>Allium tricoccum</i> , Ramps	2,200	\$6.00	\$14.50	\$21.75	\$32.50	
<i>Amorpha fruticosa</i> , False Indigo	2,900			\$2.00	\$3.00	\$5.00
<i>Amsonia tabernaemontana</i> var. <i>salicifolia</i> , Willow Leaf Bluestar	1,650		\$4.50	\$6.00	\$9.00	\$15.00
<i>Anemone virginiana</i> , Thimbleweed	30,000	\$4.00	\$6.00	\$8.00	\$12.00	\$20.00
<i>Aquilegia canadensis</i> , Wild Columbine	31,500	\$6.00	\$14.50	\$21.75	\$32.50	\$48.75
<i>Asarum canadense</i> , Wild Ginger (available in June/July, free of fruit casing)	2,600	\$6.00	\$14.50	\$21.75	\$32.50	\$48.75
<i>Asclepias syriaca</i> , Common Milkweed	4,000	\$4.50	\$11.00	\$16.50	\$24.75	\$37.00
<i>Aster cordifolius</i> (<i>Symphiotrichum cordifolium</i>), Heart-Leaved Aster (no fluff - pappus removed)	116,000	\$6.50	\$16.00	\$24.00	\$36.00	\$54.00
<i>Aster divaricatus</i> (<i>Eurybia divaricata</i>), White Wood Aster (no fluff - pappus removed)	60,500	\$6.50	\$16.00	\$24.00	\$36.00	\$54.00
<i>Aster novae-angliae</i> (<i>Symphiotrichum novae-angliae</i>), New England Aster (pappus removed)	93,500	\$4.50	\$9.00	\$12.00	\$18.00	\$30.00
<i>Aster pilosus</i> (<i>Symphiotrichum pilosum</i>), Heath Aster (no fluff - pappus removed), limited quantity	142,000	\$4.00	\$14.00	\$21.00	\$24.00	\$40.00
<i>Baptisia australis</i> , Blue False Indigo	1,300	\$4.00	\$6.00	\$8.00	\$12.00	N.A
<i>Caltha palustris</i> , Marsh Marigold 920 seeds/gram @ \$10.00/g Late June, only						
<i>Calycanthus floridus</i> , Sweetshrub 130 seeds/ounce @\$5.00/oz						
<i>Cercis canadensis</i> , Eastern Redbud	920	\$2.00	\$3.00	\$4.00	\$6.00	\$10.00
<i>Chelone glabra</i> , White Turtlehead	32,500	\$6.00	\$14.50	\$21.75	\$32.50	\$48.50
<i>Cornus amomum</i> , Silky Dogwood	470		\$3.00	\$4.00	\$6.00	\$10.00

Species	Seeds/oz	1 gram	1/8 oz	1/4 oz	1/2 oz	1 oz
<i>Eupatorium coelestinum</i> (<i>Conoclinium coelestinum</i>), Mistflower - no fluff (pappus removed) 16,000 seeds/gram @ \$10.00/gram, \$30.00 per 1/8 oz						
<i>Eupatorium dubium</i> , (<i>Eutrochium dubium</i>), Joe-Pye Weed - no fluff (pappus removed)	94,500	4.00	\$9.75	\$14.50	\$21.75	\$32.50
<i>Eupatorium fistulosum</i> (<i>Eutrochium fistulosum</i>), Joe-Pye Weed - no fluff (pappus removed)	103,000	\$4.00	\$9.75	\$14.50	\$21.75	\$32.50
<i>Eupatorium perfoliatum</i> , Boneset- no fluff (pappus removed) SOLD OUT until late fall	180,000	\$4.00	\$9.75	\$14.50	\$21.75	\$32.50
<i>Eupatorium rugosum</i> (<i>Ageratina altissima</i>), White Snakeroot - no fluff (pappus removed)	165,800	\$3.00	\$4.50	\$7.00	\$12.00	\$20.00
<i>Geranium maculatum</i> , Wild Geranium	4,100	\$6.00	\$14.50	\$21.75	\$32.50	\$48.75
<i>Heliopsis helianthoides</i> , Ox-Eye	5,700		\$3.00	\$4.00	\$6.00	\$10.00
<i>Hesperis matronalis</i> , Dame's Rocket	11,800		\$4.50	\$7.00	\$12.00	\$20.00
<i>Heuchera americana</i> , Alumroot – approximately 18,000 seeds/gram @ \$20.00/g						
<i>Heuchera villosa</i> , Alumroot - approximately 18,000 seeds/gram @ \$20.00/g						
<i>Hibiscus moscheutos</i> (<i>H. palustris forma peckii</i>), Crimson-Eyed Rose Mallow	3,300	\$4.00	\$9.75	\$14.50	\$21.75	\$32.50
<i>Hydrastis canadensis</i> , Goldenseal – only available in August , cleaned, no fruit pulp	2,100	\$5.00	\$16.00			
<i>Lobelia cardinalis</i> , Cardinal Flower	500,000	\$6.00	\$15.00	\$20.00	\$30.00	\$50.00
<i>Lobelia siphilitica</i> , Blue Lobelia	650,000	\$6.00	\$15.00	\$20.00	\$30.00	\$50.00
<i>Ludwigia alternifolia</i> , Square-Stemmed Monkey Flower app. 45,850 seeds/gram @ \$5.00/gram						
<i>Magnolia virginiana</i> , Sweetbay Magnolia - 530 seeds/ounce @ \$10.00/oz.						
<i>Mimulus ringens</i> , Square-Stemmed Monkeyflower – 85,000 seeds/gram @ \$10.00/gram						
<i>Monarda fistulosa</i> , Wild Bergamot	83,000	\$4.00	\$10.00	\$15.00	\$22.50	\$33.50
<i>Oenothera biennis</i> , Evening Primrose	82,000		\$4.00	\$5.00	\$6.00	\$10.00
<i>Osmorhiza longistylis</i> , Anise Root	4,000		\$4.50	\$6.00	\$9.00	\$15.00

Species	Seeds/oz	1 gram	1/8 oz	1/4 oz	1/2 oz	1 oz
<i>Parthenocissus quinquefolia</i> , Virginia Creeper	500		\$3.00	\$4.00	\$6.00	\$10.00
<i>Penstemon digitalis</i> , Foxglove Beardtongue	127,500		\$4.50	\$6.00	\$9.00	\$15.00
<i>Penstemon hirsutus</i> , Hairy Beardtongue	283,500	\$4.00	\$10.00	\$15.00	\$22.50	\$33.50
<i>Phlox paniculata</i> , Garden Phlox	3,100	\$4.00	\$10.00	\$15.00	\$22.50	\$33.50
<i>Physostegia virginiana</i> , False Dragonhead	9,950	\$4.00	\$10.00	\$15.00	\$22.50	\$33.50
<i>Polemonium reptans</i> , Jacob's Ladder	17,000	\$7.00	\$15.00	\$25.00	\$45.00	\$80.00
<i>Pycnanthemum virginianum</i> , Virginia Mountain Mint	218,000	\$6.00	\$14.50	\$21.75	\$32.50	\$48.75
<i>Rudbeckia fulgida</i> var. <i>fulgida</i> , Orange Coneflower	31,500	\$6.00	\$14.50	\$21.75	\$32.50	\$48.75
<i>Rudbeckia fulgida</i> var. <i>speciosa</i> , Showy Coneflower Sold Out till late fall	29,200	\$4.50	\$9.00	\$15.00	\$24.00	\$40.00
<i>Rudbeckia fulgida</i> var. <i>newmannii</i> , Newmans' Coneflower	29,000		\$5.00	\$8.00	\$12.00	\$20.00
<i>Rudbeckia hirta</i> , Black-Eyed Susan	95,000		\$3.00	\$4.00	\$6.00	\$10.00
<i>Rudbeckia laciniata</i> , Green-Headed Coneflower	15,500	\$4.50	\$9.00	\$15.00	\$24.00	\$40.00
<i>Rudbeckia triloba</i> , Narrow-Leaved Coneflower	28,300		\$3.00	\$4.00	\$6.00	\$10.00
<i>Senna hebecarpa</i> (<i>Cassia hebecarpa</i>), Wild Senna	1,570		\$3.00	\$4.00	\$6.00	\$10.00
<i>Silphium perfoliatum</i> , Cup-Plant	1,500		\$4.50	\$6.00	\$9.00	\$15.00
<i>Sisyrinchium angustifolium</i> (Blue-Eyed Grass) app. 1,500seeds/gram @ \$10.00/gram						
<i>Smilacina racemosa</i> (<i>Maianthemum racemosum</i>), False Solomon's Seal (clean, stored cold/moist)	440		\$5.00	\$8.00	\$12.00	\$20.00
<i>Solidago caesia</i> , Blue-Stemmed Goldenrod no fluff (pappus removed) 3,600 seeds/gram @\$6.50/gram						
<i>Solidago flexicaulis</i> , Zig-Zag Goldenrod - no fluff (pappus removed) sold out till late early winter 3,000 seeds/gram @46.50/gram						

Species	Seeds/oz	1 gram	1/8 oz	1/4 oz	1/2 oz	1 oz
<i>Staphylea trifolia</i> , American Bladdernut	430			\$4.00	\$6.00	\$10.00
<i>Stylophorum diphyllum</i> , Wood Poppy, Celandine Poppy – only available in early June	7,100	\$4.00	\$9.00	\$15.00	\$24.00	\$40.00
<i>Tiarella cordifolia</i> , Foamflower - 3,470 seeds/gram @ \$35.00/g. This is the runner variety.						
<i>Thermopsis villosa</i> , Carolina Bush Pea, Carolina Lupine	3,800	\$4.00	\$10.00	\$15.00	\$22.50	\$33.50
<i>Tradescantia ohiensis</i> , Spiderwort	8,800	\$4.00	\$10.00	\$15.00	\$22.50	\$33.50
<i>Tradescantia virginiana</i> , Spiderwort	8,100	\$4.00	\$10.00	\$15.00	\$22.50	\$33.50
<i>Verbena hastata</i> , Blue Vervain	100,900	\$2.00	\$3.00	\$4.00	\$6.00	\$10.00
<i>Vernonia noveboracensis</i> , New York Ironweed - no fluff (pappus removed)	31,500	\$4.00	\$6.00	\$8.00	\$12.00	\$20.00
<i>Zizia aurea</i> , Golden Alexanders	14,000	\$4.00	\$6.00	\$8.00	\$12.00	\$20.00

Grasses

Species	Seeds/oz	1 oz	1/4 lb	1/2 lb	1 lb
<i>Chasmanthium latifolium</i> , Wild Oats - hand collected, very clean	4,500	\$8.00	\$24.00	\$36.00	\$60.00
<i>Elymus hystrix</i> , Bottlebrush Grass	3,680 (with awns)	\$8.00	\$24.00		
<i>Elymus riparius</i> , Riverbank Wild Rye - local, hand collected, very clean	3,900	\$3.00	\$9.00	\$15.00	\$22.00
<i>Panicum anceps</i> , Beaked Panic Grass - local, hand collected, very clean	25,000	\$5.00	\$15.00	\$25.00	\$35.00
<i>Schizachyrium scoparium</i> , Little Bluestem local, hand collected SOLD OUT till fall	14,000	\$9.00	\$12.00	\$18.00	\$35.00
<i>Sorghastrum nutans</i> , Indian Grass - local, hand collected, very clean	10,900	\$3.00	\$6.00	\$9.00	\$22.00
<i>Tridens flavus</i> , Purple Top - local, hand collected, very clean	28,300	\$5.00	\$15.00	\$25.00	\$35.00

**Please confirm availability prior to ordering. Phone (610) 388-8327
e-mail: mgormel@brandywine.org**

Brandywine Conservancy & Museum of Art
4/17/20 LQ list page 4
Prices Subject to Change Without Notice