



**BRANDYWINE  
CONSERVANCY &  
MUSEUM OF ART**

## 2021 Native Plant Seed List

The Brandywine Conservancy is offering the seeds of native plants for sale. This 42 year-old program promotes greater landscape use of our regional native plants as well as conservation of native plant populations via seed propagation of local eco-types.

The 2021 list is a result of seed collections from the Brandywine Conservancy's gardens and meadows in Chadds Ford, Pennsylvania, and from wild populations and gardens in Delaware and Chester counties. Following collection by the garden volunteers, most seeds are dried at room temperature, then cleaned and stored cold (35-40 degrees Fahrenheit). A few species are cold/moist stratified in damp vermiculite or long-fiber sphagnum moss.

Seed is available in both packets and larger quantities. Packets are \$2.00 each, or any three packets for \$5.00 (mixing and matching species is OK). Nearly all packets contain a minimum of 30 to 50 seeds. Depending on the difficulty or scarcity of collection, some packets may contain less. For the commercial grower, or wildflower meadow project, many species are available in larger quantities - a price list of these species is included. Prior to ordering from the "Large Quantity Seed List" please contact the garden office to confirm availability and to place the order. Phone (610) 388-8327 or e-mail: [mgormel@brandywine.org](mailto:mgormel@brandywine.org)

To order packets of seeds please use the attached order form. Send a self-addressed, stamped envelope if the number of packets ordered is five or less. For orders of 6 to 15 packages, add \$1.45 to cover postage and handling and we will provide a padded envelope. Continue adding \$.45 for each additional increase of 5 packets (i.e. 16 to 20 packets = \$1.90, 21 to 25 packets = \$2.35, etc.). Please make checks or money orders payable to the Brandywine Conservancy & Museum of Art and send to:

Brandywine Conservancy & Museum of Art  
Attn: Mark R. Gormel  
P.O. Box 141  
Chadds Ford, Pennsylvania 19317

[brandywine.org](http://brandywine.org)

*Lobelia cardinalis*

### More about Brandywine seed:

The seed in our program is hand collected at the optimum time from open-pollinated plants. A minimal amount of seed is collected from cultivars of native plants so that the widest range of genetic diversity can be obtained, every year.


We make every effort to insure that the seed we offer for sale is as clean as possible and of the highest quality. At the time of collection, most batches contain a percentage of chaff, dirt, insects and incompletely developed seed that appears normal to the unaided eye – all along with fully mature, healthy seed.



x40

Through the use of our Clipper seed cleaning machine, which employs the combination of shaking motion, gravity, variable air flow and any two (out of 54) metal sieving screens, most collections may be separated into fractions of: miscellaneous debris, light, medium and heavy seeds. With the aid of a dissecting microscope we inspect these fractions and adjust the settings of the machine to separate out the unwanted portions. Only the highest quality seed is retained and offered for sale.

*Solidago caesia*



x20

Great care is taken to collect the seeds that nature designs with a pappus (the “fluff” or “parachute of hairs” attached to Aster, Goldenrod, Eupatorium seeds) at that point in time when the seeds are fully mature and ready to be released from the plant. Removing these hairs allows each batch to be cleaned more completely. Clean seeds are sown with greater ease, accuracy and efficiency and will provide a much higher percentage of seedlings from the effort. We’ve made great strides in removing these hairs and now offer most of these species “defluffed”.

Species that are on the Large Quantity List go through another process so that you may determine the actual number of seeds that you are buying. Clean seed is counted out in lots of 100, 500 or 1,000 and weighed on an electronic scale. We use the resulting weights to calculate the amount in larger quantities. Most counts are given as the number of seeds per ounce so by dividing the ounce count by 2, 4, or 8, one may determine the number of clean seed in 1/2 oz, 1/4 oz, etc.


To determine the number of actual seed in 1 gram, divide the seeds/oz by 28.35 (the number of grams in one ounce). For example, the count for *Chelone glabra* is 32,500 seeds/oz; divide that by 28.35 and you have 1,146 seeds/gram. With grasses simply remember that there are 16 ounces (oz)/pound (lb).

This unique contribution to the preservation of the environment is made possible through the dedicated efforts of the Brandywine Conservancy & Museum of Art's Volunteer Gardeners.

Please keep in mind that quantities of all seeds are limited.

For current availability phone (610) 388-8327;  
e-mail: [mgormel@brandywine.org](mailto:mgormel@brandywine.org)

*Chelone glabra*



x10

# Brandywine Conservancy & Museum of Art

## 2021 Seed List of Native Plants

1. *Agastache foeniculum*, Anise Hyssop GC2
2. *Allium cernuum*, Nodding Wild Onion GC2
3. *Allium tricoccum*, Ramps, Wild Leek GC2
4. *Amorpha fruticosa*, False-Indigo GC2
5. *Anemone virginiana*, Thimbleweed GC2
6. *Aquilegia canadensis*, Wild Columbine GC3 & 2
7. *Aralia racemosa*, American Spikenard GC2
8. *Asarum canadense*, Wild Ginger GC5 \*LS
9. *Asclepias incarnata*, Swamp Milkweed GC2
10. *Asclepias syriaca*, Common Milkweed GC2
11. *Asclepias tuberosa*, Butterfly Weed GC2
12. *Aster cordifolius*, Heart-Leaved Aster  
(*Symphiotrichum cordifolium*) GC2
13. *Aster divaricatus*, White Wood Aster  
(*Eurybia divaricata*) GC2
14. *Aster novae-angliae*, New England Aster  
(*Symphiotrichum novae-angliae*) GC2
15. *Aster pilosus*, Heath Aster  
(*Symphiotrichum pilosum*) GC3 & 2
16. *Baptisia australis*, Blue False Indigo GC6 & 2
17. *Boehmeria cylindrica* – Small-Spike False Nettle GC2?
18. *Boltonia asteroides* – White Doll's Daisy GC2
19. *Calycanthus floridus*, Sweetshrub GC2
20. *Caltha palustris*, Marsh Marigold GC2
21. *Campanulastrum americanum*, American Bellflower GC1
22. *Capnoides sempervirens*, Rock Harlequin GC1/GC2?
23. *Ceanothus americanus*, New Jersey Tea GC6 & 2
24. *Cercis canadensis*, Eastern Redbud GC6 & 2
25. *Cephalanthus occidentalis*, Buttonbush GC1
26. *Chasmanthium latifolium*, Wild Oats GC2
27. *Chelone glabra*, White Turtlehead GC2
28. *Chionanthus virginicus*, Fringetree, GC4?
29. *Chrysopsis mariana*, Maryland Golden Aster GC2
30. *Cimicifuga racemosa* (*Actaea racemosa*),  
Black Cohosh, Bugbane GC4
31. *Claytonia virginica* Spring Beauty GC4
32. *Coreopsis tripteris*, Tall Tickseed GC2
33. *Cornus amomum*, Silky Dogwood GC2
34. *Dicentra eximia*, Wild Bleeding Heart GC5 & 4 \*LS
35. *Echinacea purpurea*, Purple Coneflower GC2
36. *Elymus hystrix* (*Hystrix patula*), Bottlebrush Grass  
GC1 or 2
37. *Elymus riparius*, Riverbank Wild Rye GC1 or 2
38. *Eragrostis spectabilis*, Purple Love Grass GC3 & 1 or 2
39. *Eryngium yuccifolium*, Rattlesnake Master GC2
40. *Eupatorium coelestinum*, Mistflower  
(*Conoclinium coelestinum*) GC2
41. *Eupatorium dubium* (*Eutrochium dubium*)  
Joe-Pye Weed GC2
42. *Eupatorium fistulosum*, Hollow Joe-Pye Weed  
(*Eutrochium fistulosum*) GC2
43. *Eupatorium perfoliatum*, Boneset GC2
44. *Euonymus americanus*, Strawberry-Bush,  
Hearts-a-Burstin GC2 or GC4?
45. *Euonymus atropurpureus*, Burning Bush, Eastern Wahoo  
GC2 or GC4?
46. *Geranium maculatum*, Wild Geranium GC2
47. *Helianthus decapetalus*, Thin-Leaved Sunflower GC2
48. *Heliopsis helianthoides*, Ox-Eye GC1 or 2
49. *Heuchera americana*, Alumroot GC3 & 2
50. *Heuchera villosa*, Autumn Alumroot, Hairy Alumroot  
GC3&2
51. *Hibiscus moscheutos* (*Hibiscus palustris forma peckii*),  
Crimson-Eyed Rose Mallow GC2
52. *Hydrastis canadensis*, Goldenseal – **avail. in July, only**
53. *Hydrophyllum canadense*, Broad Leaved Waterleaf GC2
54. *Hydrophyllum virginianum*, Virginia Waterleaf GC2
55. *Houstonia caerulea*, Bluets, Quaker Ladies GC1
56. *Iris versicolor*, Larger Blue Flag GC3 & 2
57. *Jeffersonia diphylla*, (Twinleaf) GC5 **avail. in June, only**
58. *Laportea canadensis*, Canadian Wood Nettle GC2?
59. *Liatris spicata*, Dense Blazing Star GC1 or 2
60. *Liatris squarrosa*, Scaly Blazing Star GC1 or 2
61. *Lobelia cardinalis*, Cardinal Flower GC3
62. *Lobelia siphilitica*, Blue Lobelia GC3
63. *Ludwigia alternifolia*, Seedbox GC2
64. *Magnolia virginiana*, Sweetbay Magnolia GC2
65. *Mertensia virginica*, Virginia Bluebells GC2
66. *Mimulus ringens*, Square-Stemmed Monkey-Flower  
GC3 & 2
67. *Monarda fistulosa*, Wild Bergamot GC3 & 1 or GC3 & 2
68. *Oenothera biennis*, Evening Primrose GC3 & 1
69. *Osmorhiza longistylis*, Anise Root GC2 (see packet)
70. *Parthenocissus quinquefolia*, Virginia Creeper GC2
71. *Panicum anceps*, Beaked Panicgrass GC1 or 2
72. *Penstemon digitalis*, Foxglove Beardtongue GC3 & 2
73. *Penstemon hirsutus*, Hairy Beardtongue GC3 & 2
74. *Phacelia purshii*, Miami Mist GC1 (see packet)
75. *Phlox paniculata*, Garden Phlox GC2
76. *Physostegia virginiana*, False Dragonhead GC2
77. *Polemonium reptans*, Jacob's Ladder GC4
78. *Pycnanthemum virginianum*, Virginia Mountain Mint  
GC3 & 2
79. *Ratibida pinnata*, Gray-Headed Coneflower GC1 or 2
80. *Rudbeckia fulgida* var. *fulgida*, Orange Coneflower GC2
81. *Rudbeckia fulgida* var. *speciosa*, Showy Coneflower GC2
82. *Rudbeckia fulgida* var. *newmannii*,  
Newmann's Coneflower GC2
83. *Rudbeckia hirta*, Black-Eyed Susan GC1
84. *Rudbeckia laciniata*, Green-Headed Coneflower GC1 or 2
85. *Rudbeckia triloba*, Narrow-Leaved Coneflower GC1
86. *Sanguinaria canadensis*, Bloodroot GC5 **late May, only**
87. *Scizachyrium scoparium*, Little Bluestem GC1 or 2 **late fall**
88. *Scirpus cyperinus*, Wool Grass GC3 & GC2
89. *Scutellaria incana*, Downy Skullcap GC2
90. *Senna hebecarpa* (*Cassia hebecarpa*), Wild Senna GC2
91. *Sisyrinchium angustifolium*, Blue-Eyed Grass GC3&2  
(perform twice)
92. *Solidago caesia*, Blue-Stemmed Goldenrod GC2
93. *Solidago flexicaulis*, Zigzag Goldenrod GC2
94. *Solidago juncea*, Early Goldenrod GC2
95. *Solidago nemoralis*, Gray Goldenrod GC2
96. *Solidago rigida*, Hard-Leaved Goldenrod  
(*Oligoneuron rigidum*) GC2
97. *Solidago speciosa*, Showy Goldenrod GC2
98. *Sorghastrum nutans*, Indian Grass GC1 or 2
99. *Sporobolus heterolepis*, Prairie Dropseed GC1 or 2
100. *Staphylea trifolia*, American Bladdernut GC4
101. *Stylophorum diphyllum*, Wood Poppy GC5 **June only**
102. *Thalictrum polygamum* (*Thalictrum pubescens*),  
Tall Meadow-Rue GC2

103. *Thermopsis villosa*, Carolina Bush Pea GC6 or GC2  
 104. *Tiarella cordifolia*, Foamflower (runnering form)  
 GC 3 & 2  
 105. *Tiarella cordifolia* var. *collina* (clumping form)  
 GC 3 & 2  
 106. *Tradescantia ohiensis*, Spiderwort GC2  
 107. *Tradescantia virginiana*, Spiderwort GC2  
 108. *Tridens flavus*, Purpletop GC1 or 2  
 109. *Verbena hastata*, Blue Vervain GC2

110. *Vernonia noveboracensis*, New York Ironweed GC2  
 111. *Veronicastrum virginicum*, Culver's Root GC3 & 1  
 112. *Viburnum dentatum*, Southern Arrowwood GC4  
 113. *Viburnum prunifolium*, Black-haw Viburnum GC4  
 114. *Viola* spp., mix of Violets GC2  
 115. *Xanthorhiza simplicissima*, Yellowroot GC2 and GC3  
 116. *Zizia aptera*, Golden Alexanders, Heart-Leaved Zizia GC2  
 117. *Zizia aurea*, Golden Alexanders GC2

### Germination Codes

Appearing at the end of each of the above species is a germination code (GC1, GC2, etc.). Some species require multiple pretreatments and are indicated with more than one code, as in GC3 & 2.

1. GC1 *Seed should germinate within 1 to 4 weeks after sowing in a warm, moist medium.* These types generally require being thoroughly air dried first and are stored under cold (35-40° F), dry conditions. No other pretreatment is necessary. Often referred to as cold, dry stratification, this is the standard storage method for all BC seed.
2. GC2 *These types require cold, moist conditions prior to germinating in warm, moist conditions.* Some of these species may require only a 30-day chilling period, others might require 120 days. We typically sow these types in January, keeping them outdoors (providing approximately 90 days) and achieve good results. To simulate the outdoor treatment, mix seeds into a dampened, sterile medium (potting soil, sphagnum moss, sand, vermiculite) and place the mix into a sealed container in a cold place (35-40°F). Let it sit for 60 to 90 days, routinely checking the mixture for appropriate dampness (mixture feels damp but no water will squeeze out of a handful of the mix) then move into a warm location (65-80°F) and watch for germination. This pre-sowing treatment is often referred to as cold, moist stratification. "Twice" indicates species germinates best after repeating the treatment.
3. GC3 *These seeds are very small or need light in order to break dormancy and germinate.* These should be sown on the surface of the medium and pressed into firm contact. Some growers cover these types with a light coating of very fine gravel, builders sand, swimming pool filter sand, aquarium gravel, etc. Watering from the bottom of the container, allowing the water to wick upward, will prevent very tiny seeds from being washed too deeply into the potting medium during watering.
4. GC4 *These seeds require a warm, moist period followed by a cold, moist period.* Sow these species outdoors by the beginning of July and look for germination in the following year. To simulate, mix seeds into a dampened, sterile medium (potting soil, sphagnum moss, sand, vermiculite), place the mix into a sealed container in a warm place (65-80°F), let sit for 60 to 90 days, then refrigerate for another 60 to 90 days. Routinely check mixture for appropriate dampness (mixture feels damps but no water will squeeze out of a handful of the mix).
5. GC5 *Sow these types immediately upon collection or following purchase.* These types will perish if allowed to dry out (or may rot if stored indoors) and are most easily handled by leaving the sown pot outdoors.
6. GC6 *Hot water treatment or scarification.* Pour boiling water over the seeds and allow them to soak in the cooling water for 24 hours. Alternatively, scarify these seeds with a light sanding from medium grit sandpaper. The intention is to create small scratches in the surface of the seed coat, not to grind apart the seeds. Each is typically used in conjunction with another treatment.

**\*LS or \*LF = Available in late spring (LS) or late-fall (LF)**

**Brandywine Conservancy & Museum of Art  
2021 Large Quantity Seed List**

<b>Species</b>	<b>Seeds/oz</b>	<b>1 gram</b>	<b>1/8 oz</b>	<b>1/4 oz</b>	<b>1/2 oz</b>	<b>1 oz</b>
<i>Agastache foeniculum</i> , Anise Hyssop	95,000	\$4.00	\$6.00	\$8.00	\$12.00	
<i>Allium cernuum</i> , Nodding Wild Onion	7,600	\$4.50	\$9.00	\$12.00	\$18.00	
<i>Allium tricoccum</i> , Ramps	2,200	\$6.00	\$14.50	\$21.75	\$32.50	
<i>Amorpha fruticosa</i> , False Indigo	2,900			\$2.00	\$3.00	\$5.00
<i>Amsonia tabernaemontana var. salicifolia</i> , Willow Leaf Bluestar	1,650		\$6.00	\$8.00	\$12.00	\$20.00
<i>Anemone virginiana</i> , Thimbleweed	30,000	\$4.00	\$6.00	\$8.00	\$12.00	\$20.00
<i>Aquilegia canadensis</i> , Wild Columbine	31,500	\$6.00	\$14.50	\$21.75	\$32.50	\$48.75
<i>Asarum canadense</i> , Wild Ginger ( <b>available in June, only, free of fruit casing</b> )	2,600	\$6.00	\$14.50	\$21.75	\$32.50	\$48.75
<i>Asclepias syriaca</i> , Common Milkweed	4,000	\$4.50	\$11.00	\$16.50	\$24.75	\$37.00
<i>Aster cordifolius (Symphyotrichum cordifolium)</i> , Heart-Leaved Aster (no fluff - pappus removed)	116,000	\$6.50	\$16.00	\$24.00	\$36.00	\$54.00
<i>Aster divaricatus (Eurybia divaricata)</i> , White Wood Aster (no fluff - pappus removed)	60,500	\$6.50	\$16.00	\$24.00	\$36.00	\$54.00
<i>Aster novae-angliae (Symphyotrichum novae-angliae)</i> , New England Aster (pappus removed)	93,500	\$4.50	\$9.00	\$12.00	\$18.00	\$30.00
<i>Aster pilosus (Symphyotrichum pilosum)</i> , Heath Aster (no fluff - pappus removed), limited quantity	142,000	\$4.00	\$14.00	\$21.00	\$24.00	\$40.00
<i>Baptisia australis</i> , Blue False Indigo	1,300	\$4.00	\$6.00	\$8.00	\$12.00	
<i>Caltha palustris</i> , Marsh Marigold 920 seeds/gram @ \$10.00/g <b>Late June, only</b>						
<i>Calycanthus floridus</i> , Sweetshrub 130 seeds/ounce @\$5.00/oz						
<i>Cercis canadensis</i> , Eastern Redbud	920	\$2.00	\$3.00	\$4.00	\$6.00	\$10.00
<i>Chelone glabra</i> , White Turtlehead	32,500	\$6.00	\$14.50	\$21.75	\$32.50	\$48.50
<i>Cornus amomum</i> , Silky Dogwood	470		\$3.00	\$4.00	\$6.00	\$10.00

<b>Species</b>	<b>Seeds/oz</b>	<b>1 gram</b>	<b>1/8 oz</b>	<b>1/4 oz</b>	<b>1/2 oz</b>	<b>1 oz</b>
<i>Eupatorium coelestinum</i> ( <i>Conoclinium coelestinum</i> ), Mistflower - no fluff (pappus removed) 16,000 seeds/gram @ \$10.00/gram, \$30.00 per 1/8 oz						
<i>Eupatorium dubium</i> , ( <i>Eutrochium dubium</i> ), Joe-Pye Weed - no fluff (pappus removed) 3,300 seeds/gram @ \$5.00/g						
<i>Eupatorium fistulosum</i> ( <i>Eutrochium fistulosum</i> ), Joe-Pye Weed - no fluff (pappus removed) 103,000	\$4.00	\$9.75	\$14.50	\$21.75	\$32.50	
<i>Heliopsis helianthoides</i> , Ox-Eye 5,700		\$3.00	\$4.00	\$6.00	\$10.00	
<i>Heuchera americana</i> , Alumroot – approximately 18,000 seeds/gram @ \$20.00/g						
<i>Heuchera villosa</i> , Alumroot - approximately 18,000 seeds/gram @ \$20.00/g						
<i>Hibiscus moscheutos</i> ( <i>H. palustris forma peckii</i> ), Crimson-Eyed Rose Mallow 3,300	\$4.00	\$9.75	\$14.50	\$21.75		
<i>Hydrastis canadensis</i> , Goldenseal – <b>only available in August</b> , cleaned, no fruit pulp 75 seeds/gram @\$5.00/g						
<i>Lobelia cardinalis</i> , Cardinal Flower 500,000	\$6.00	\$15.00	\$20.00	\$30.00	\$50.00	
<i>Lobelia siphilitica</i> , Blue Lobelia 650,000	\$6.00	\$15.00	\$20.00	\$30.00	\$50.00	
<i>Ludwigia alternifolia</i> , Square-Stemmed Monkey Flower app. 45,850 seeds/gram @ \$5.00/gram						
<i>Magnolia virginiana</i> , Sweetbay Magnolia - 530 seeds/ounce @ \$10.00/oz.						
<i>Mimulus ringens</i> , Square-Stemmed Monkeyflower – 85,000 seeds/gram @ \$10.00/gram						
<i>Monarda fistulosa</i> , Wild Bergamot 83,000	\$4.00	\$10.00	\$15.00	\$22.50	\$33.50	
<i>Oenothera biennis</i> , Evening Primrose 82,000		\$4.00	\$5.00	\$6.00	\$10.00	
<i>Osmorhiza longistylis</i> , Anise Root 4,000		\$4.50	\$6.00	\$9.00	\$15.00	
<i>Parthenocissus quinquefolia</i> , Virginia Creeper 500		\$3.00	\$4.00	\$6.00	\$10.00	
<i>Penstemon digitalis</i> , Foxglove Beardtongue 127,500		\$4.50	\$6.00	\$9.00	\$15.00	
<i>Penstemon hirsutus</i> , Hairy Beardtongue 10,000 seeds/gram @ \$10.00/g						
<i>Phlox paniculata</i> , Garden Phlox <b>Sold Out Till Late Fall</b> 3,100	\$4.50	\$9.00	\$15.00	\$24.00	\$40.00	

<b>Species</b>	<b>Seeds/oz</b>	<b>1 gram</b>	<b>1/8 oz</b>	<b>1/4 oz</b>	<b>1/2 oz</b>	<b>1 oz</b>
<i>Polemonium reptans</i> , Jacob's Ladder 600 seeds/gram @ \$10.00/g						
<i>Pycnanthemum virginianum</i> , Virginia Mountain Mint 218,000		\$6.00	\$14.50	\$21.75	\$32.50	\$48.75
<i>Ratibida pinnata</i> , Gray-Headed Coneflower 950 seeds/gram @ \$8.00/g						
<i>Rudbeckia fulgida var. fulgida</i> , Orange Coneflower 1,100 seeds/gram @ \$10.00/g						
<i>Rudbeckia fulgida var. speciosa</i> , Showy Coneflower 1,000 seeds/gram @ \$9.00/g						
<i>Rudbeckia fulgida var. newmannii</i> , Newmans' Coneflower 1,000 seeds/gram @ \$9.00/g						
<i>Rudbeckia hirta</i> , Black-Eyed Susan 3,350 seeds/gram @ \$5.00/g						
<i>Rudbeckia laciniata</i> , Green-Headed Coneflower <b>Sold Out Till Winter</b> 550 seeds/gram @ \$6.00/g						
<i>Rudbeckia triloba</i> , Narrow-Leaved Coneflower 1,000 seeds/gram @ \$5.00/g						
<i>Senna hebecarpa</i> ( <i>Cassia hebecarpa</i> ), Wild Senna 1,570			\$3.00	\$4.00	\$6.00	\$10.00
<i>Sisyrinchium angustifolium</i> (Blue-Eyed Grass) app. 1,500 seeds/gram @ \$10.00/gram						
<i>Smilacina racemosa</i> ( <i>Maianthemum racemosum</i> ), False Solomon's Seal ( <i>clean, stored cold/moist</i> ) 440			\$5.00	\$8.00	\$12.00	\$20.00
<i>Solidago caesia</i> , Blue-Stemmed Goldenrod (no fluff - pappus removed & machine cleaned) 3,600 seeds/gram @ \$12.00/gram						
<i>Solidago flexicaulis</i> , Zig-Zag Goldenrod (no fluff - pappus removed & machine cleaned) 3,000 seeds/gram @ \$10.00						
<i>Solidago rigida</i> , Hard-Leaved Goldenrod (no fluff - pappus removed & machine cleaned) 1,350 seeds/gram @ \$6.00/g						
<i>Staphylea trifolia</i> , American Bladdernut 430				\$4.00	\$6.00	\$10.00
<i>Stylophorum diphyllum</i> , Wood Poppy, Celandine Poppy – <b>only available in early June</b> 7,100		\$4.00	\$9.00	\$15.00	\$24.00	\$40.00
<i>Tiarella cordifolia</i> , Foamflower - 3,470 seeds/gram @ \$35.00/g. (runner variety)						
<i>Tiarella cordifolia var. collina</i> , Foamflower - 3,470 seeds/gram @ \$35.00/g. (clumping variety)						

<b>Species</b>	<b>Seeds/oz</b>	<b>1 gram</b>	<b>1/8 oz</b>	<b>1/4 oz</b>	<b>1/2 oz</b>	<b>1 oz</b>
<i>Tradescantia ohiensis</i> , Spiderwort	8,800	\$4.00	\$10.00	\$15.00	\$22.50	\$33.50
<i>Tradescantia virginiana</i> , Spiderwort	8,100	\$4.00	\$10.00	\$15.00	\$22.50	\$33.50
<i>Verbena hastata</i> , Blue Vervain	100,900	\$2.00	\$3.00	\$4.00	\$6.00	\$10.00
<i>Vernonia noveboracensis</i> , New York Ironweed (no fluff - pappus removed & machine cleaned)	31,500	\$4.00	\$6.00	\$8.00	\$12.00	\$20.00
<i>Vernonicastrum virginicum</i> , Culver's Root App. 26,000 seeds/gram @ \$20.00/g						
<i>Zizia aurea</i> , Golden Alexanders	14,000	\$4.00	\$6.00	\$8.00	\$12.00	\$20.00

### Grasses

<b>Species</b>	<b>Seeds/oz</b>	<b>1 oz</b>	<b>1/4 lb</b>	<b>1/2 lb</b>	<b>1 lb</b>
<i>Chasmanthium latifolium</i> , Wild Oats - hand collected, very clean	4,500	\$8.00	\$24.00	\$36.00	\$60.00
<i>Elymus hystrix</i> , Bottlebrush Grass 3,680 (with awns)		\$8.00	\$24.00		
<i>Elymus riparius</i> , Riverbank Wild Rye - local, hand collected, very clean	3,900	\$3.00	\$9.00	\$15.00	\$22.00
<i>Eragrostis spectabilis</i> , Purple Love Grass - hand collected, machine cleaned 10,500 seeds/gram @ \$15.00/g					
<i>Panicum anceps</i> , Beaked Panic Grass - local, hand collected, machine cleaned	25,000	\$5.00	\$15.00	\$25.00	\$35.00
<i>Schizachyrium scoparium</i> , Little Bluestem local, hand collected <b>SOLD OUT till fall</b> 500 seeds/gram @ \$5.00/g					
<i>Sorghastrum nutans</i> , Indian Grass - local, hand collected, very clean	10,900	\$3.00	\$6.00	\$9.00	\$22.00
<i>Sporobolus heterolepis</i> , Prairie Dropseed - hand collected, machine cleaned 350 seeds/gram @ \$5.00/g					
<i>Tridens flavus</i> , Purple Top - local, hand collected, very clean	28,300	\$5.00	\$15.00	\$25.00	\$35.00

**Please confirm availability prior to ordering. Phone (610) 388-8327  
e-mail: mgormel@brandywine.org**

**Brandywine Conservancy & Museum of Art**

7/2/21 LQ list page 4

**\*\*\*Prices Subject to Change Without Notice\*\*\***